




Mag. iur. Dr. techn. Michael Sonntag


Threats for computers and networks

Institute for Information Processing and
Microprocessor Technology (FIM)
Johannes Kepler University Linz, Austria


E-Mail: sonntag@fim.uni-linz.ac.at
<http://www.fim.uni-linz.ac.at/staff/sonntag.htm>



- Web security
 - Holism, attackers & attacks
- What is Malware?
 - Viruses, Trojans, Worms, Rootkits, Backdoors etc
- Crime in the Internet
 - Spam, Phishing, Espionage, Vandalism
- Securing computer
 - Anti-Virus software
- CVSS



- “Web Security” = Security of the WWW
 - Or even more general, the Internet
 - » We will cover this here briefly and only in this presentation!
- Three main areas:
 - Client security: Especially web browsers
 - » But also: Breaking into the client somehow
 - Server security: Web servers
 - » But also: Breaking into the server somehow
 - Transport security: What happens between those two
- Here we will cover mainly the web server security (as related to the WWW, not generally) and the transport security
 - Or breaking into the server/client through the WWW



Holistic security


- Although we will cover only some aspects here, a broader view is necessary:
 - Is your server physically secure?
 - » Standing under the reception desk?
 - Is your OS secure?
 - » Windows/Linux updates regularly installed?
 - Is your network secure?
 - » Can anyone plug into a port/WLAN security?
 - Is your organization secure?
 - » Resetting passwords by request on the telephone?
 - Is your web server application secure?
 - » CGI scripts? XSS? ...

← Covered here (partly!)




Who might attack whom?

- Clients: Uninteresting, because a lot of work for little gain
 - If possible automatically → very interesting!
 - Might be useful, because typically rather less secure and the information gained there can be interesting
 - » Computers of top management/developers/...
 - » Passwords which might be used for servers too!
- Servers: Very interesting!
 - High computing power, bandwidth, ...
 - » Using it as your own server (esp. for illegal material!)
 - Inside a companies network (or at least the DMZ)
 - » First foothold for gaining access to more interesting data
 - Multiplication effect: Trying to infect all users of this server
 - » Adding virus/trojan/... to downloads
 - » Inserting XSS/CSRF/... into the pages




Typical attacks

- Defacement: Vandalism
 - Modify the homepage with some political/... message
- Infiltration: Unauthorized access
 - Typically to steal information or resources
- Phishing: Spoofing a web site to fool end-users
 - Getting users to do something they wouldn't do otherwise
- Pharming: DNS manipulation to impost a website
 - Otherwise like phishing
- Click Fraud: Make money by visits/cause loss for others
 - Typically Google Adwords and similar; but banners as well
- Denial of Service: Stop the server from working
 - Political or as a tool for blackmailing
- Data theft: Stealing confidential information
 - Like credit card numbers



Network security overview

- What is it, that attackers might place on a webserver?
 - Some kind of malware
 - But what is “malware”?
 - » See next slides!
- But why should we care?
 - Unless it’s targeted at us, but normally only on our users!
 - Legal liability/consequences, loss of reputation, lost revenue, costs incurred, resource usage, ...




What is "Malware"?

- Malware = Malicious software
 - Any software designed to cause "harm" to ICT equipment
 - Requires this to be done without (informed) consent
 - » Some users really want spyware and install it deliberately ...!
- Reasons for Malware:
 - "Can do": Pranks, proving programming proficiency, ...
 - » No actual damage (or only unintentionally)
 - » In old times, today very rare!
 - Vandalizing: Destroy data, leave message
 - » To harm others and gain fame; rather rare today
 - Profiteering: For (in-)direct financial gain
 - » Obtaining valuable information for selling or resources (computing power, bandwidth, non-blacklisted E-Mail sender, ...)
- Very often: Attacks are a commercial venture (cost vs gain)




Malware functions


- Malware has typically three functions
 - Not every has all three!
 - » E.g. spyware often lacks infection by being installed deliberately
 - » Vandalism malware has no concealment (or only for a short time)
- ❶ Infection: Get there without permission
 - Usually requires some kind of user interaction, which is sometimes used as a legal pretext
 - » Often the information is insufficient!
 - Typical examples: Virus, Worm, CSRF
- ❷ Concealment: Hide from the user and detection
 - Or from detection/removal programs; to remain on the user for as long as possible
 - Like: Trojan horse, Rootkit, Backdoor, hidden frames
- ❸ Profiting: Achieve your aim and making money (payload)
 - Typical examples: Keystroke logger, Botnet, phishing pages




- A computer program designed to spread from computer to computer without the users's permission
- Must be transferred to the new destination by a human
 - Inserting an infected diskette, USB stick, forwarding an E-Mail
- Locations of viruses:
 - Boot sectors: Diskettes/USB-Sticks; rare today
 - Documents: Macros in office documents
 - E-Mails: Some viruses send out copies of themselves
 - » Still require users to execute them, usually by tricking them
 - E.g. pornographic photo, amusing program, important patch, ...
 - Cross-site-scripting: Embedding itself on community sites
 - » Add some code to be shown when visiting this profile/video/...
 - » May send out URLs to bring other users to visit this site
- Of little importance for web security (→ general IT security!)




- Methods to avoid detection:
 - Do not infect everything: Small files make it difficult to hide
 - » Infect only sparsely; change techniques below (key, poly.)
 - Hide from OS: Intercept OS calls to modify the result
 - » Reading the infected file returns the perfectly normal data
 - » Countermeasures require directly reading the disk
 - Encryption: Encrypts itself with a random key
 - » Only the decryption part remains unchanged
 - » Dangerous for virus: Self-modifying code is rare and suspicious!
 - Polymorphic code: Similar to encryption, but modifies itself
 - » This includes the decryption part!
 - Replaces small pieces of machine code with different ones with an equivalent functionality
- Note: These are general approaches and are at least sometimes implemented by web attacks as well!
 - JavaScript is often polymorphic and encrypted




- Similar to a virus, but requires no human interactions
 - Replicates itself automatically; often used to create botnets
- Examples:
 - Propagation by E-Mail: Sends an E-Mail, which contains an exploit so that mere viewing installs the worm
 - Propagation by Internet: The worm connects to other computers and uses an exploit to install itself there
 - Propagation by web server: Each user visiting the site is infected and spreads it again (MySpace worm!)
- Huge problem: Restriction!
 - Worms can easily eat up the whole bandwidth/resources of a network and the computers on them!
 - Difficult for a worm to decide, whether a system has already been infected and should therefore not be attempted again
 - » Some worms install patches for the vulnerability they exploited!



- Software performing a normal function perfectly, but having an additional hidden function as well
 - There is no self-replication, only installation by users!
 - » No hiding behind normal actions, like booting a computer
 - Deliberate installation → Gets around security measures
 - » Administrator right? Security warning? → We're just doing a normal installation of a useful program!
 - Web: Many “browser bars” could be considered as this
- Typical payload of a Trojan: Backdoor or keylogger
 - Often also includes a downloading component
 - » So the Trojan remains small; additional code is downloaded over time from a web server or a P2P network and installed
- Extremely simple to program
 - Ordinary software + small addition



- A kind of operating system which virtualizes your normal OS
 - No need for hardware access → Needs an exploit (or Trojan)
 - Usually not a goal in itself; just to hide from detection
- Hides itself even from the operating system
 - Almost no possibility for scanning programs to detect them!
 - Usually grants administrator privileges to the malicious user
- Typically hidden:
 - Files: To keep the one code/data hidden
 - Network connections: For downloading software, accepting commands, passing on the stolen data
 - Registry entries: Which are required for it to run
 - Memory: To avoid detection by inspecting the RAM
- May be purely memory-based to hide even better
 - But will not survive a reboot then!
- "Positive" rootkits exist also: E.g. emulation of CD drives



- A method to bypass normal authentication
 - Typically a hidden user account or a software stealthily waiting for connections and spawning a root shell
 - Usually an "open" or "symmetric" door: Anyone knowing about it can use it to gain access
 - » Theory: Using asymmetric encryption only the perpetrator could use it, even if it was publicly known!
 - Such approaches exist for specially crafted RSA key generation
- Two main types:
 - Local backdoor: Requires local access; used to become root
 - Remote backdoor: Allows access from anywhere
- Typically an important part of any Malware: Granting the malicious user full control over the machine subverted
 - Dangerous already as such, because of their symmetry!

See <http://www.uscg.iu.edu/hypermail/linux/kernel/0311.0/0666.html> for an example!



Malware: Keystroke loggers

- Recording every single key pressed by the user
 - Related: Taking screenshots in regular intervals
- Used esp. for phishing and generally obtaining passwords
 - Note: From the key log it is not necessarily trivial to isolate the password, but e.g. when the username is known, this becomes easier (example: "root\nsecret\n")
 - Will not help with one-time-passwords and tokens!
 - » Except live monitoring + interception
- Available in hard- and software
 - Especially hardware is also used in legal investigations
- Many countermeasures possible, but most of them are difficult to use or otherwise problematic
 - Web-based keyboards, mouse gestures, Drag&Drop (→ malware tries to subvert this by movement capturing!), speech recognition, selecting with mouse and overwriting, ...




- Group of automatically working zombie computers
 - A (large) number of home and office computers which have been hacked and are controlled by a single external person
 - » Number can range up to several millions!
- Requires and command & control infrastructure
 - Previously: A hardcoded single server → Vulnerable!
 - » Can be taken down easily, can be used to identify all bots
 - Now: P2P → No central server, updates between bots to recover from control servers being taken down
 - » Often hacked web server themselves!
- Communications is typically over known protocols
 - IRC, DNS (different content), P2P protocols
- Botnets are usually rented to others for use
 - Sending Spam, DoS attack, click fraud, phishing, ...
 - » And, of course, spreading the bot software to obtain new ones!



Spyware, Adware: Malware?

- Spyware: Secretly monitoring the user and adapting the behaviour (of some software or the computer)
- Adware: Software with advertising functionality
- These cannot be directly classified as Malware, as many very legitimate examples exist!
 - Spyware: Personalization software
 - Adware: Shareware, demos, freeware with "payment" by ads
- Decision based on:
 - Full disclosure of what is collected and transferred
 - Consent by the user
 - Removability (some Adware removes their "parent" with them!)
- Attention: Many programs exist, which claim to remove spyware → Expensive, but are itself spyware or install more!




Crime in the Internet

- Crime has found the Internet: Because it pays off!
 - Internationality is important here: Committing crimes in foreign countries is an effective barrier to actual prosecution
 - » Little or no information is provided (police cooperation lacking)
 - » It might not even be a crime in these countries!
 - Many "shady" products → Do you want to tell the police your penis enlargement pills didn't show up (or didn't work)?
- Several categories exist
 - Normal crime with evidence in the Internet
 - » Murder with some E-Mails stating the intention
 - Normal crime within the Internet
 - » Defamation, fraud (eBay), paedophilia
 - "Real" Internet crime: Only possible there
 - » Click-fraud, phishing, DoS, viruses, data theft, illegal access

**Internet
crime**


Prosecution is difficult → prevention is more important!



- In many (but **not all!**) countries sending unrequested advertisement E-Mails is prohibited
- Business areas
 - Obtaining E-Mail addresses (harvesting from websites, hacking computers, generating them, ...)
 - Sending Spam: Renting botnets, (ab-)using open relays
- Often coupled with fraud:
 - Objects sold are not delivered/fake/not working
 - Billing takes place anyway/in advance
- Pays off even for very low response rates
 - 1.000.000 spam mails → ≈ US\$ 100
 - » 0,002 percent response → 20 customers (1 in 50.000!)
- Tool for recruiting victims for other schemes
 - Typical example: Money laundering after phishing



- Phishing: Representing as someone else to obtain personal information, which would otherwise have been withheld
 - Usually employed for identity theft
 - A very lucrative business!
 - » Online banking: Average of € 4.500 damage!
- Typical target: Online banking or credit card data
 - User IDs, passwords, PIN, TAN, card number, CVV ...
 - "Victims": Banks, eBay, PayPal
- Phishing technique: Usually two steps
 - Sending out Spam with forged links, requesting users to "confirm" their personal information (or else ...) on the web
 - Forging a website to look like the original
 - » Biggest problem: Making the URL look right
 - » Biggest danger: Cross Site Scripting (→ it **IS** the real website!)



Crime in the Internet: Phishing

- Exploiting the information gained:
 - Accessing the account and transferring the money to a third person (usually not directly involved)
 - » Credit cards → Buy money, play online casino, buy on eBay, ...
 - Third person retrieves money, pockets 10%, and passes the remaining 90% on by Western Union
 - » Western Union → Practically untraceable!
 - Fourth person picks up money from WU and transfers it on
 - » Requires photo ID; in some countries only number + password!
- Possible precautions:
 - Full content inspection (E-Mails and webpages)
 - Careful reading: Phishing usually misses personal data
 - » "Dear valued customer" instead of "Dear Mr. Sonntag"
 - Browsers alerting (fake URLs, known phishing sites lists, ...)
 - Improved logins (SMS-TAN, recognizing image, iTAN etc.)



- Transaction authentication instead of user authentication
 - Would be a very good help against phishing!
- Basic idea:
 - Generate a password based on destination and amount of the transaction and use this to authenticate it
- Example:
 - Enter destination and amount in a token, which produces a unique password based on this and the token ID
 - Enter the token into the web form
 - The bank verifies it
 - Result: Without the token no transaction is possible, and an existing transaction cannot be "hijacked" and changed




Crime in the Internet: Espionage

- Typically done by secret services/countries/large companies
 - Not much is know; victims usually don't talk or prosecute!
- This is "big business" → There is a lot of money at stake, so the effort is very high
 - Experienced hackers deliberately target specific machines or networks and employ various techniques
 - » May include social engineering, e.g. of management executives
 - Large effort and considerable knowledge
 - » May include bribing "insiders"
 - The Internet is just one attack vector
- Protecting against this is **very** hard!
 - For "normal" companies probably not an important issue
 - Still, some precautions should be taken!



Crime in the Internet: Vandalism

- Typical example: Website defacement
 - Changing the content of the website to show something different, like a political message
 - » Today of little importance any more
 - Modify the content to exploit browser vulnerabilities
 - » Of high importance!
 - » Will target all persons visiting this page
- Prime targets: Large Web 2.0 sites which allow customer-supplied content (or any other site echoing user input)
 - Doesn't require hacking, only lack of verification of input
- Today not only about changing static webpages, but rather changing the database producing the dynamic content
 - SQL injection attacks are very prominent here!




Securing computers

- Every computer today should be secured
 - Not securing it could lead to legal liability!
 - » At least for companies, where the standard is higher
 - » "Normal" measures must be taken, i.e. what everyone else does too and what is seen as the typical minimum investment
 - Difficulty of distribution:
 - Keeping scanning software up to date with signatures
 - Making sure it runs everywhere and has not been disabled
 - Ensure that reports are investigated, not just clicked away
 - One possible solution: Back to mainframes!
 - » Not directly, but in the sense of thin-clients: Everything is computed on a central server, and only the UI is remote
 - Remote computers can be secured tightly with read-only software, no interfaces, etc.
 - » Central system can be configured and controlled more easily
- BUT: Web browsing is always allowed!**



- Basic requirement for every computer
 - Looks for viruses (and worms, trojans, etc. depending on manufacturer/product), includes web pages during download
- Typical method:
 - Signature scanning: Searching for specific strings (bytes)
 - » The payload, the reproduction area, the decryption part, ...
 - Heuristics: Searching for characteristics in the code
 - » Intended to detect unknown viruses (no signature yet available)
 - » Problem of false positives!
 - » May involve:
 - Executing suspicious code in a virtual machine → What does it do?
 - Decompile and analyze source code
 - Check for "strange" function calls
 - Behavioural blocking: Stopping potentially dangerous behaviour and asking the user for permission
 - » Works very well, but depends largely on the user's attention!



Securing computers: Personal firewall

- Similar to network firewalls, but running only on a single computer and protecting only this one
 - Controls network traffic to and from the computer
 - » Usually not address/port translation
 - Added advantage: Can "inspect" the program also
 - » Which programs running for which user are allowed to connect to which computer/listen on which port
 - E.g.: "explorer.exe" vs. "192.168.2.1" contacting a ssh server
 - Can prompt users whether to allow/deny specific connections
 - » Adapts the protection profile accordingly
 - » Too many warnings → Users will shut it off or just click "yes"
- May itself be the target of an attack (when vulnerable)
 - "Witty" worm: Targeted firewall with buffer overflow
- Typically running as administrator, as normal users are
 - Malware can shut them down/reconfigure them as well!
- Useless here: Web browsing/serving is always allowed



Securing computers: Content filtering


- Content filtering: Disallowing certain content
 - Typically blocking pornography, advertisements, spam, ...
 - » Companies: Everything unrelated to the work tasks
 - Is only secondarily a security issue!
 - » Many such sites try to infect/harass users (aside from content!)
- Typically based on application gateways
 - Web-proxies, E-Mail servers
- Base functionality:
 - Black-/Whitelists: Explicit lists of what is forbidden/allowed
 - » E.g. attachments of certain types/extensions (.exe, .bat, ...)
 - » May be centralised on a server (and continually updated) or local
 - Content inspection: Looking at the content and deciding, whether this should be passed on or not
 - » Bayesian networks (require training), content anomalies, language, regular expressions, URLs, proximity, ...




Common Vulnerability Scoring System

- To provide a common way to assess vulnerabilities
 - I.e., how urgent is fixing the problem (ranking)?
- It provides
 - Standardized vulnerability scores: Single score for all hard- & software systems, regardless of vendor (and their scores)
 - » Also immune from their interests/motivations!
 - Open Framework: Clear definition how the score was calc.
 - » Allows comparison between vulnerabilities
 - Prioritized risk: Individualization for each company
 - » Some part of the CVSS is world-applicable, though!
- Note: This is version 2!
- Response (generalized; from CVSSv1 typical responses):
 - 0-3: Wait for service pack; 4-5: Next patch cycle;
 - 6-7: Within 1 week; 7-10: NOW!

How CVSS works




- Three metric groups: Base, temporal and environmental
 - Base: Intrinsic & fundamental characteristics of vulnerability
 - » Constant over time, independent of environment
 - Temporal: What changes over time
 - » Independent of environment
 - Environmental: Properties depending on the actual use of the vulnerable system at the end-users installation



CVSS overview


- Base and temporal metrics specified by security analysts
 - Requires detailed knowledge of the product, the vulnerability and possible/existing exploits
 - Environmental metrics → Calculated by everyone himself!
- Each vulnerability is scored separately
 - Synergistic effects are ignored → Can be added through environmental metrics (security requirements)
- Vulnerabilities are scored according to a typical installation
 - If you have special security precautions, your CVSS could be lower, if security is loosened, higher!
- Worst-case scoring: Better safe than sorry
 - If several attack vectors exist → Easiest one
 - Several products affected, but patch only for one → Unfixed
 - Root level access → Complete loss of C, I, and A!
 - » Plus: Loss of integrity usually affects availability too



- Access Vector: How the vulnerability can be exploited
 - Local, adjacent network (broadcast/coll. domain), network
- Access Complexity: How difficult is the exploitation after achieving access to the system
 - Low (little skill, manually possible), medium (limit sources, additional data needed, non-default config.), high (special conditions only; race condition, suspicious social eng.)
- Authentication: How often authentication is necessary
 - None, single, multiple (≥ 2 ; even if same credentials)
- Confidentiality Impact: What data can be accessed
 - None, partial (some tables in DB only), complete (everything)
- Integrity Impact: What the attacker could modify
 - None, partial (no control which files), completely (everything)
- Availability Impact: What other users experience
 - None, partial (delays), complete (shutdown, unusable)




- **Exploitability:** State of exploit technology available
 - Unproven (theoretical), proof-of-concept (unpractical, needs substantial modifications by skilled attacker), functional (code available and works in most situations), high (exploitable by mobile autonomous code, works every time), not defined
- **Remediation Level:** What is available as a fix
 - Official fix (patch by vendor), temporary fix (official but temporary patch), workaround (unofficial solution), unavailable (no solution, impossible), not defined
- **Report Confidence:** How sure it is the vulnerability exists
 - Unconfirmed (single unconfirmed source, conflicting reports, rumour), uncorroborated (multiple non-official sources), confirmed (acknowledged by vendor, publication, exploit code, exploitation), not defined



Environmental metrics

- Collateral Damage Potential: Potential for loss of life or physical assets; economic/productivity/revenue loss
 - None, low (slight damage), low-medium (moderate loss), medium-high (significant loss), high (catastrophic damage), not defined
 - » Note: What is "slight" or "moderate" is company specific as well!
- Target Distribution: Percentage of systems potent. affected
 - None, low (small scale; 1%-25%), medium (26%-75%), high (76%-100%), not defined
 - » Percentage as affecting the total environment
 - One central single point of failure → 100!
 - » Very high influence on final result!
- Security Requirements: Importance of the asset to the organization; 3 parts (availability, integrity, confidentiality)
 - Low (limited adverse effects), medium (serious effects), high (catastrophic effects), not defined



- Scoring is very complicated and consists of numerous equations and values for each possible value
 - Base score = $((0.6 * \text{Impact}) + (0.4 * \text{Exploitability}) - 1.5) * f(\text{Impact})$
 - » Impact = $10.41 * (1 - (1 - \text{ConfImpact}) * (1 - \text{IntegImpact}) * (1 - \text{AvailImpact}))$
 - » Exploitability = $20 * \text{AccessVector} * \text{AccessComplexity} * \text{Authentication}$
 - » $f(\text{impact}) = 0$ if Impact=0, 1.176 otherwise
 - » AccessVector: local=0.395, adjacent=0.646, network=1
 - TemporalScore = BaseScore * Exploitab. * Remed.Level * ReportConf.
 - EnvironmentalScore = (AdjustedTemporal + (10 - AdjustedTemporal) * CollateralDamagePotential) * TargetDistribution
 - » AdjustedTemporal = Temporal score recomputed with the base scores impact adjusted by the CAI-requirements
 - » AdjustedImpact = $\min(10, 10.41 * (1 - (1 - \text{ConfImpact} * \text{ConfReq}) * (1 - \text{IntegImpact} * \text{IntegReq}) * (1 - \text{AvailImpact} * \text{AvailReq})))$
- Complicated calculation! → Use software
 - <http://nvd.nist.gov/cvss.cfm?calculator&adv&version=2>



Scoring

Sponsored by DHS National Cyber Security Division/US-CERT

NIST National Institute of Standards and Technology

National Vulnerability Database

automating vulnerability management, security measurement, and compliance checking

Vulnerabilities | Checklists | 800-53 Controls | Product Dictionary | Impact Metrics | Data Feeds | Statistics

Home | SCAP | SCAP Validated Tools | SCAP Events | About | Contact | Vendor Comments


Common Vulnerability Scoring System Version 2 Calculator

This page provides a calculator for creating [CVSS](#) vulnerability severity scores. Please read the [CVSS standards guide](#) to fully understand how to score CVSS vulnerabilities and to interpret CVSS scores.

Update Scores | Reset Scores | View Equations

CVSS Base Score	Undefined	Environmental Score Metrics	
Impact Subscore	Undefined	General Modifiers	
Exploitability Subscore	Undefined	CollateralDamagePotential	Not Defined
CVSS Temporal Score	Undefined	TargetDistribution	Not Defined
CVSS Environmental Score	Undefined	Impact Subscore Modifiers	
Overall CVSS Score	Undefined	ConfidentialityRequirement	Not Defined
Base Score Metrics		IntegrityRequirement	Not Defined
Exploitability Metrics		AvailabilityRequirement	Not Defined
AccessVector	Undefined	Temporal Score Metrics	
AccessComplexity	Undefined	Exploitability	Not Defined
Authentication	Undefined	RemediationLevel	Not Defined
Impact Metrics		ReportConfidence	Not Defined
ConfImpact	Undefined	CVSS v2 Vector	
IntegImpact	Undefined	A CVSS vector will be automatically generated once you fill in the CVSS base metrics.	
AvailImpact	Undefined		


Fertig



CVSS example: CVE-2002-0392

Apache Chunked-Encoding Memory Corruption Vulnerability

- Execution of arbitrary code (with webserver privileges) or DoS through incorrect handling of chunked encoding
- Base score = 9
 - Access Vector: Network (possible from remote)
 - Access Complexity: Low (nothing special required)
 - Authentication: None (just send a request)
 - Confidentiality, Integrity Impact = Partial (web content, local user/configuration information; arbitrary code)
 - Availability Impact = Complete (DoS)
- Temporal score = 7.4
 - Exploitability = Functional (exploit code exists)
 - Remediation Level = Official fix (official patch available)
 - Confidence = Confirmed (→ official patch!)
- Environmental: Depending on assessment → 0.0 – 9.2



- Many different threats exist → Ignoring them will not help!
- There is no single solution for security
 - Against various attacks various countermeasures are available
- Vulnerabilities must be monitored closely
 - Depending on size, just observe the lists or calculate your own CVSS for all new vulnerabilities yourself
- Minimum configuration for every computer:
 - Anti virus + personal firewall
- Minimum configuration for every network:
 - Firewall
 - Optional: Proxies with content inspection for various protocols
 - » E-Mail: Anti virus, anti spam, WWW: Exploit/virus/URL-filtering
 - » Intrusion detection system for infrastructure hosts and network

F I M

Questions?

Thank you for your attention!



- Mell, Peter, Scarfone, Karen, Romanosky, Sasha: A Complete Guide to the Common Vulnerability Scoring System Version 2.0
<http://www.first.org/cvss/cvss-guide.html>